



Previous Name: Shell Tellus STX

Shell Tellus S3 V 32

Shell Tellus S3 V –

DESIGNED TO MEET CHALLENGES

Shell Tellus S3 V
21/19/16.

ISO 4406
DIN 51524

Shell Tellus S3 V

Shell Tellus S3 V

5000
(
Astm D 943 Tost);



Shell

Tellus S3 V

Shell Tellus S3 V

Shell Tellus S3 V

ISO HV.

Shell Tellus S3 V

Shell Tellus S3 V

Shell Tellus S3 V

(Oecd 202, US EPA OPPTS

850.1035).

- ASTM 6158 (HV)
- SS 15 54 34 AV (ISO VG 46 68)
- SS 15 54 34 AM (ISO VG 32).

Shell Naturelle.

Technical Helpdesk

Shell

Shell Tellus S4 ME,

- Shell Tellus S3 V

- Denison Hydraulics (HF-0, HF-1 HF-2)
- Eaton Vickers (Brochure 694)
- Cincinnati Machine (P-68, P-70 P-69).
- Bosch Rexroth (

RE

90220-01/09.09)

Shell Tellus S3 V

- ISO 11158 (HV)
- DIN 51524-3 (HVLP)

Properties	Method	S3 V 32
ISO	ISO 3448	32
ISO	ISO 6743-4	HV
@-20°C	ASTM D 445	1000
@40°C	ASTM D 445	32
@100°C	ASTM D 445	6.7
	ISO 2909	160
@15°C / 3	ISO 12185	862
°C	ISO 2592 (COC)	200
°C	ISO 3016	-39

Shell

- <http://www.epc.Shell.com/>
-

Viscosity - Temperature Diagram for Shell Tellus S3 V

