

Classic III

 **KAMADOJOE**<sup>®</sup>  
Ceramic Grills



# Features & Components



## INTERNAL COMPONENTS



FireBox



Patented Hyperbolic Insert




Kontrol Tower Top Vent



Air Lift Hinge



Aluminum Side Shelves



Divide & Conquer® System




Stainless Steel Latch



Charcoal Basket



Premium Cart



Gasket



Patented Ash Collector



Thermometer

## Specifications

Dimensions	Cooking Surface	Weight	Heat Range
22.3 in W x 34 in H x 30.2 in D 47 in W x 50.5 in H x 30.2 in D (inc cart and shelves)	18" Diameter 510 sq in (661 sq in with rack extension)	282 lbs	225°F – 750°F+
56.6 cm W x 86.4 cm H x 76.7 cm D 119.4 cm W x 128.3 cm H x 76.7 cm D (inc cart and shelves)	46cm Diameter 3,292 sq cm (4,264 with rack extension)	128 kg	82°C – 399°C

## Materials

Base/Dome	High Fire Heat-Resistant Ceramics	Premium Cart	Powdercoated Galvanized Steel
Glaze	Heat-Resistant Ceramic Coating	Side Shelves	Powdercoated Aluminium
Kontrol Tower Top Vent	Cast Aluminium	Air Lift Hinge	Full Counter Balanced Stainless Steel
Grill Grates	304 Stainless Steel	Patented Ash Collector	304 Stainless Steel
FireBox	High-Fire Heat-Resistant Ceramics	Patented Hyperbolic Insert	Teflon Coated Cast Aluminium
Gasket	Wire Mesh Fiberglass	FireBox Ring / Latch	304 Stainless Steel

# Dimensions & Installation Guide

## IMPORTANT DIMENSION NOTES

Please use this as a general guide for installing a Classic III ceramic grill in a built-in outdoor kitchen or grill table. Drawing is not to scale.

### SIDE VIEW



### FRONT VIEW



### TOP VIEW

