


ARTICLE LIST 2020



Index

01.	OUR COMPANY	page 02
02.	CERTIFICATES	page 04
03.	AIS MM PPSU 16-50 mm	page 06
04.	AIS MM BRASS COLOR 16-32 mm	page 09
05.	AIS BD BRASS COLOR 40-75 mm	page 18
06.	AIS INOX MODULAR 63-110 mm	page 22
07.	AIS TRMLP BRASS COLOR 16-32 mm	page 24
08.	AIS PEX BRASS COLOR 16-32 mm	page 28
09.	AIS COMPLEMENTS	page 34





OUR COMPANY

AIS is a German company that joins the most advanced German technology with a long-term experience in the Spanish market.

For more than a decade, AIS has designed, manufactured and sold OEM installation solutions for the industrial and building sectors. We have developed the safest, optimal and most complete range of OEM solutions for installations.

Our commitment to efficient production processes, quality of raw materials and rigorous quality control processes, make our products one of the most reliable in the market. AIS products comply with the highest international quality standards such as DVGW, AENOR, CE EOTA, WRAS...

Every year we make important investments in R&D with the aim of developing the most innovative products to meet the needs of our customers. Currently we have 3 production plants and we sell to more than 20 countries, which places us as one of the reference manufacturers in the market.



DVGW, Germany
MULTILAYER SYSTEM - BRASS FITTINGS



DDVGW, Germany
MULTILAYER SYSTEM - PPSU FITTINGS



CE EOTA, Europe



WRAS



AENOR UNE-EN ISO 21003
MULTILAYER SYSTEM



AENOR UNE-EN ISO 15875
PEX SYSTEM



Bureau Veritas ISO 9001, Spain

We offer a wide range of OEM press fittings manufactured in PPSU.

Our fittings high quality is based on:

- Patented design PPSU fitting, with three EPDM O-rings and inox sleeves
- Compatible with multilayer pipes
- Compatible with several jaw profiles, such as U, H, TH and RFz for fittings from 16 mm to 32 mm
- Jaw profiles U, TH for 40 and 50 mm

MM-PPSU 16-50 mm

Press-coupling - PPSU



NEW

Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
P733.1616	U, H, TH, RFz	16x2,00	10	200
P733.2020	U, H, TH, RFz	20x2,25	10	160
P733.20201	U, H, TH, RFz	20x2,00	10	160
P733.2525	U, H, TH, RFz	25x2,50	10	100
P733.2626	U, H, TH, RFz	26x3,00	10	100
P733.3232	U, H, TH, RFz	32x3,00	10	60
P733.4040	TH, U	40x4,00	2	40
P733.5050	TH, U	50x4,50	2	22

Press-coupling reduced - PPSU



NEW

Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
P733.2016	U, H, TH, RFz	20x2,25-16x2,00	10	180
P733.20161	U, H, TH, RFz	20x2,00-16x2,00	10	180
P733.2516	U, H, TH, RFz	25x2,50-16x2,00	10	120
P733.2520	U, H, TH, RFz	25x2,50-20x2,25	10	120
P733.2616	U, H, TH, RFz	26x3,00-16x2,00	10	120
P733.26201	U, H, TH, RFz	26x3,00-20x2,00	10	120
P733.3225	U, H, TH, RFz	32x3,00-25x2,50	10	80
P733.3226	U, H, TH, RFz	32x3,00-26x3,00	10	80

Press-transition coupling - PPSU



Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
P733.12020	U, H, TH, RFz	20x2,25-20x2,00	10	160

Press-elbow 90° - PPSU



NEW



Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
P703.1616	U, H, TH, RFz	16x2,00	10	200
P703.2020	U, H, TH, RFz	20x2,25	10	150
P703.20201	U, H, TH, RFz	20x2,00	10	150
P703.2525	U, H, TH, RFz	25x2,50	10	80
P703.2626	U, H, TH, RFz	26x3,00	10	80
P703.3232	U, H, TH, RFz	32x3,00	4	44
P703.4040	TH, U	40x4,00	2	30
P703.5050	TH, U	50x4,50	2	14

Press-T PPSU



NEW



Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
P723.161616	U, H, TH, RFz	16x2,00	10	150
P723.202020	U, H, TH, RFz	20x2,25	10	100
P723.2020201	U, H, TH, RFz	20x2,00	10	100
P723.252525	U, H, TH, RFz	25x2,50	4	40
P723.262626	U, H, TH, RFz	26x3,00	4	40
P723.323232	U, H, TH, RFz	32x3,00	4	32
P723.404040	TH, U	40x4,00	1	18
P723.505050	TH, U	50x4,50	1	10



Press-T reduced - PPSU

NEW

Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
P723.162016	U, H, TH, RFz	16x2,00-20x2,25-16x2,00	10	100
P723.1620161	U, H, TH, RFz	16x2,00-20x2,00-16x2,00	10	100
P723.201616	U, H, TH, RFz	20x2,25-16x2,00-16x2,00	10	100
P723.2016161	U, H, TH, RFz	20x2,00-16x2,00-16x2,00	10	100
P723.201620	U, H, TH, RFz	20x2,25-16x2,00-20x2,25	10	100
P723.2016201	U, H, TH, RFz	20x2,00-16x2,00-20x2,00	10	100
P723.202016	U, H, TH, RFz	20x2,25-20x2,25-16x2,00	10	100
P723.2020161	U, H, TH, RFz	20x2,00-20x2,00-16x2,00	10	100
P723.251625	U, H, TH, RFz	25x2,50-16x2,00-25x2,50	4	60
P723.252020	U, H, TH, RFz	25x2,50-20x2,25-20x2,25	4	60
P723.252025	U, H, TH, RFz	25x2,50-20x2,25-25x2,50	4	48
P723.261626	U, H, TH, RFz	26x3,00-16x2,00-26x3,00	4	60
P723.2620201	U, H, TH, RFz	26x3,00-20x2,00-20x2,00	4	60
P723.2620261	U, H, TH, RFz	26x3,00-20x2,00-26x3,00	4	48
P723.322032	U, H, TH, RFz	32x3,00-20x2,25-32x3,00	4	40
P723.3220321	U, H, TH, RFz	32x3,00-20x2,00-32x3,00	4	40
P723.322525	U, H, TH, RFz	32x3,00-25x2,50-25x2,50	4	40
P723.322532	U, H, TH, RFz	32x3,00-25x2,50-32x3,00	4	32
P723.322626	U, H, TH, RFz	32x3,00-26x3,00-26x3,00	4	40
P723.322632	U, H, TH, RFz	32x3,00-26x3,00-32x3,00	4	32



We offer a wide range of OEM press fittings manufactured in brass color.

Our fittings have been designed by our own European Engineers team.

We designed an innovative profile which avoids the risk of damaging the O-rings when the pipe is pushed on to the fitting.

Our fittings high quality is based on:

- Patented design brass fitting, with three EPDM O-rings and inox sleeves
- Triple safety with three O-rings in the designed fitting
- Manufactured under the technical standards DIN 50930-6 and UNE EN ISO 21003-3
- Compatible with multilayer pipes
- Compatible with several jaw profiles U, H, TH, RFz
- Lead free brass available on request

Press-connection male

Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
1311.1612	U, H, TH, RFz	16x2,00-1/2"M	10	200
1311.2012	U, H, TH, RFz	20x2,25-1/2"M	10	200
1311.20121	U, H, TH, RFz	20x2,00-1/2"M	10	200
1311.2034	U, H, TH, RFz	20x2,25-3/4"M	10	170
1311.20341	U, H, TH, RFz	20x2,00-3/4"M	10	170
1311.25100	U, H, TH, RFz	25x2,50-1"M	10	100
1311.2534	U, H, TH, RFz	25x2,50-3/4"M	10	100
1311.26100	U, H, TH, RFz	26x3,00-1"M	10	100
1311.2634	U, H, TH, RFz	26x3,00-3/4"M	10	100
1311.32100	U, H, TH, RFz	32x3,00-1"M	10	80



Press-connection female

Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
1310.1612	U, H, TH, RFz	16x2,00-1/2"F	10	200
1310.2012	U, H, TH, RFz	20x2,25-1/2"F	10	200
1310.20121	U, H, TH, RFz	20x2,00-1/2"F	10	200
1310.2034	U, H, TH, RFz	20x2,25-3/4"F	10	180
1310.20341	U, H, TH, RFz	20x2,00-3/4"F	10	180
1310.25100	U, H, TH, RFz	25x2,50-1"F	10	100
1310.2534	U, H, TH, RFz	25x2,50-3/4"F	10	100
1310.26100	U, H, TH, RFz	26x3,00-1"F	10	100
1310.2634	U, H, TH, RFz	26x3,00-3/4"F	10	100
1310.32100	U, H, TH, RFz	32x3,00-1"F	10	80

Press-screw connection female⁽¹⁾

NEW DESIGN

Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
1314.1612	U, H, TH, RFz	16x2,00-1/2"F	10	200 NEW
1314.1634	U, H, TH, RFz	16x2,00-3/4"F	10	200 NEW
1314.2012	U, H, TH, RFz	20x2,25-1/2"F	10	200 NEW
1314.20121	U, H, TH, RFz	20x2,00-1/2"F	10	200 NEW
1314.2034	U, H, TH, RFz	20x2,25-3/4"F	10	200 NEW
1314.20341	U, H, TH, RFz	20x2,00-3/4"F	10	200 NEW
1314.25100	U, H, TH, RFz	25x2,50-1"F	10	100 NEW
1314.2534	U, H, TH, RFz	25x2,50-3/4"F	10	100 NEW
1314.26100	U, H, TH, RFz	26x3,00-1"F	10	100 NEW
1314.2634	U, H, TH, RFz	26x3,00-3/4"F	10	100 NEW
1314.32100	U, H, TH, RFz	32x3,00-1"F	10	80 NEW
1314.32114	U, H, TH, RFz	32x3,00-1 1/4"F	8	64 NEW

Press-screw connection elbow female 90°⁽¹⁾

Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
1307.2534	U, H, TH, RFz	25x2,50-3/4"F	10	100

⁽¹⁾Nut designed according to UNE EN ISO 228

Press-coupling



Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
1333.1616	U, H, TH, RFz	16x2,00	10	200
1333.2020	U, H, TH, RFz	20x2,25	10	160
1333.20201	U, H, TH, RFz	20x2,00	10	160
1333.2525	U, H, TH, RFz	25x2,50	10	100
1333.2626	U, H, TH, RFz	26x3,00	10	60
1333.3232	U, H, TH, RFz	32x3,00	10	60

Press-coupling reduced




NEW

Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
1333.2016	U, H, TH, RFz	20x2,25-16x2,00	10	180
1333.20161	U, H, TH, RFz	20x2,00-16x2,00	10	180
1333.2516	U, H, TH, RFz	25x2,50-16x2,00	10	120
1333.2520	U, H, TH, RFz	25x2,50-20x2,25	10	120
1333.25201	U, H, TH, RFz	25x2,50-20x2,00	10	120
1333.2616	U, H, TH, RFz	26x3,00-16x2,00	10	120
1333.26201	U, H, TH, RFz	26x3,00-20x2,00	10	80
1333.3216	U, H, TH, RFz	32x3,00-16x2,00	10	100 NEW
1333.3225	U, H, TH, RFz	32x3,00-25x2,50	10	80
1333.3226	U, H, TH, RFz	32x3,00-26x3,00	10	80


⁽¹⁾Nut designed according to UNE EN ISO 228

Press-elbow 90°




Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
1303.1616	U, H, TH, RFz	16x2,00	10	200
1303.2020	U, H, TH, RFz	20x2,25	10	150
1303.20201	U, H, TH, RFz	20x2,00	10	150
1303.2525	U, H, TH, RFz	25x2,50	10	80
1303.2626	U, H, TH, RFz	26x3,00	10	80
1303.3232	U, H, TH, RFz	32x3,00	4	44

Press-elbow female 90°




Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
1300.1612	U, H, TH, RFz	16x2,00-1/2"F	10	180
1300.2012	U, H, TH, RFz	20x2,25-1/2"F	10	160
1300.20121	U, H, TH, RFz	20x2,00-1/2"F	10	160
1300.2034	U, H, TH, RFz	20x2,25-3/4"F	10	100
1300.20341	U, H, TH, RFz	20x2,00-3/4"F	10	100
1300.2534	U, H, TH, RFz	25x2,50-3/4"F	10	100
1300.2634	U, H, TH, RFz	26x3,00-3/4"F	10	100
1300.32100	U, H, TH, RFz	32x3,00-1"F	6	54

Press-elbow male 90°



Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
1301.1612	U, H, TH, RFz	16x2,00-1/2"M	10	200
1301.2012	U, H, TH, RFz	20x2,25-1/2"M	10	160
1301.20121	U, H, TH, RFz	20x2,00-1/2"M	10	160
1301.2034	U, H, TH, RFz	20x2,25-3/4"M	10	120
1301.20341	U, H, TH, RFz	20x2,00-3/4"M	10	120
1301.2534	U, H, TH, RFz	25x2,50-3/4"M	10	90
1301.2634	U, H, TH, RFz	26x3,00-3/4"M	10	90
1301.32100	U, H, TH, RFz	32x3,00-1"M	6	54

Press-wallplate elbow female 90° - 46 mm height




Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
1302.1612	U, H, TH, RFz	16x2,00-1/2"F	10	100
1302.2012	U, H, TH, RFz	20x2,25-1/2"F	10	100
1302.20121	U, H, TH, RFz	20x2,00-1/2"F	10	100

Press-wallplate elbow female 90° - 38 mm height




1306.1612	U, H, TH, RFz	16x2,00-1/2"F	10	100
1306.2012	U, H, TH, RFz	20x2,25-1/2"F	10	100
1306.20121	U, H, TH, RFz	20x2,00-1/2"F	10	100

Kit wallplate elbow female with flange - 38 mm height



Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
K1306.1612	U, H, TH, RFz	16x2,00-1/2"F Dist=75 mm	1	6
K1306.2012	U, H, TH, RFz	20x2,25-1/2"F Dist=150mm	1	6
K1306.20121	U, H, TH, RFz	20x2,00-1/2"F Dist=150mm	1	6

Press-T



Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
1323.161616	U, H, TH, RFz	16x2,00	10	100
1323.202020	U, H, TH, RFz	20x2,25	10	100
1323.2020201	U, H, TH, RFz	20x2,00	10	100
1323.252525	U, H, TH, RFz	25x2,50	4	40
1323.262626	U, H, TH, RFz	26x3,00	4	40
1323.323232	U, H, TH, RFz	32x3,00	4	32

Press-T reduced



NEW

Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
1323.162016	U, H, TH, RFz	16x2,00-20x2,25-16x2,00	10	100
1323.1620161	U, H, TH, RFz	16x2,00-20x2,00-16x2,00	10	100
1323.201616	U, H, TH, RFz	20x2,25-16x2,00-16x2,00	10	100
1323.2016161	U, H, TH, RFz	20x2,00-16x2,00-16x2,00	10	100
1323.201620	U, H, TH, RFz	20x2,25-16x2,00-20x2,25	10	100
1323.2016201	U, H, TH, RFz	20x2,00-16x2,00-20x2,00	10	100
1323.202016	U, H, TH, RFz	20x2,25-20x2,25-16x2,00	10	100
1323.2020161	U, H, TH, RFz	20x2,00-20x2,00-16x2,00	10	100
1323.2026201	U, H, TH, RFz	20x2,00-26x3,00-20x2,00	4	60
1323.251616	U, H, TH, RFz	25x2,50-16x2,00-16x2,00	4	60
1323.251625	U, H, TH, RFz	25x2,50-16x2,00-25x2,50	4	60
1323.252020	U, H, TH, RFz	25x2,50-20x2,25-20x2,25	4	60
1323.2520201	U, H, TH, RFz	25x2,50-20x2,00-20x2,00	4	60
1323.252025	U, H, TH, RFz	25x2,50-20x2,25-25x2,50	4	48
1323.2520251	U, H, TH, RFz	25x2,50-20x2,00-25x2,50	4	48
1323.252520	U, H, TH, RFz	25x2,50-25x2,50-20x2,25	4	48
1323.2525201	U, H, TH, RFz	25x2,50-25x2,50-20x2,00	4	48
1323.261616	U, H, TH, RFz	26x3,00-16x2,00-16x2,00	4	40
1323.2616201	U, H, TH, RFz	26x3,00-16x2,00-20x2,00	4	40
1323.261626	U, H, TH, RFz	26x3,00-16x2,00-26x3,00	4	40
1323.2620201	U, H, TH, RFz	26x3,00-20x2,00-20x2,00	4	40
1323.2620261	U, H, TH, RFz	26x3,00-20x2,00-26x3,00	4	40
1323.2626201	U, H, TH, RFz	26x3,00-26x3,00-20x2,00	4	40
1323.321632	U, H, TH, RFz	32x3,00-16x2,00-32x3,00	4	48
1323.322032	U, H, TH, RFz	32x3,00-20x2,25-32x3,00	4	40
1323.3220321	U, H, TH, RFz	32x3,00-20x2,00-32x3,00	4	40
1323.322525	U, H, TH, RFz	32x3,00-25x2,50-25x2,50	4	40
1323.322532	U, H, TH, RFz	32x3,00-25x2,50-32x3,00	4	32
1323.322626	U, H, TH, RFz	32x3,00-26x3,00-26x3,00	4	32
1323.322632	U, H, TH, RFz	32x3,00-26x3,00-32x3,00	4	32



Press-T female



Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
1320.161216	U, H, TH, RFz	16x2,00-1/2"F-16x2,00	10	100
1320.201220	U, H, TH, RFz	20x2,25-1/2"F-20x2,25	10	100
1320.2012201	U, H, TH, RFz	20x2,00-1/2"F-20x2,00	10	100
1320.251225	U, H, TH, RFz	25x2,50-1/2"F-25x2,50	4	48
1320.253425	U, H, TH, RFz	25x2,50-3/4"F-25x2,50	4	44
1320.261226	U, H, TH, RFz	26x3,00-1/2"F-26x3,00	4	40
1320.263426	U, H, TH, RFz	26x3,00-3/4"F-26x3,00	4	40
1320.323432	U, H, TH, RFz	32x3,00-3/4"F-32x3,00	4	40

Press-embedded valve Pack with concealed handle





Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
1377.01616P	U, H, TH, RFz	16x2,00	1	40
1377.020201P	U, H, TH, RFz	20x2,00	1	32
1377.02020P	U, H, TH, RFz	20x2,25	1	32
1377.02525P	U, H, TH, RFz	25x2,50	1	20

Press-embedded valve Pack with handle



1377.11616P	U, H, TH, RFz	16x2,00	1	40
1377.120201P	U, H, TH, RFz	20x2,00	1	32
1377.12020P	U, H, TH, RFz	20x2,25	1	32
1377.12525P	U, H, TH, RFz	25x2,50	1	20


Press-embedded U-valve Pack with concealed handle

	Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
	1379.020201P	U, H, TH, RFz	20x2,00	1	24
	1379.02020P	U, H, TH, RFz	20x2,25	1	24
	1379.02525P	U, H, TH, RFz	25x2,50	1	18

Press-embedded U-valve Pack with handle

	1379.120201P	U, H, TH, RFz	20x2,00	1	24
	1379.12020P	U, H, TH, RFz	20x2,25	1	24
	1379.12525P	U, H, TH, RFz	25x2,50	1	18


Press-embedded valve

	Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
	1377.1616	U, H, TH, RFz	16x2,00	1	40
	1377.2020	U, H, TH, RFz	20x2,25	1	32
	1377.20201	U, H, TH, RFz	20x2,00	1	32
	1377.2525	U, H, TH, RFz	25x2,50	1	20


Press-embedded U-valve

	1379.2020	U, H, TH, RFz	20x2,25	1	24
	1379.20201	U, H, TH, RFz	20x2,00	1	24
	1379.2525	U, H, TH, RFz	25x2,50	1	18


Press-lever ball valve

	Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
	1371.2020	U, H, TH, RFz	20x2,25	1	40
	1371.2525	U, H, TH, RFz	25x2,50	1	32
	1371.3232	U, H, TH, RFz	32x3,00	1	32


Press-radiator T 330 mm

	Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
	563.16	U, H, TH, RFz	16x2,00-15 Cu	1	30


Press-radiator arc 90° 330 mm

	Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
	553.16	U, H, TH, RFz	16x2,00-15 Cu	1	30

Press-radiator elbow 90° 330mm


	Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
	553.161535	U, H, TH, RFz	16x2,00-15 Cu	2	60

Press-adapter for copper pipes⁽²⁾

	Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
	1354.1615	U, H, TH, RFz	16x2,00-15 Cu	10	200
	1354.2018	U, H, TH, RFz	20x2,25-18 Cu	10	200
	1354.20181	U, H, TH, RFz	20x2,00-18 Cu	10	200
	1354.2022	U, H, TH, RFz	20x2,25-22 Cu	10	100
	1354.2522	U, H, TH, RFz	25x2,50-22 Cu	10	100
	1354.3228	U, H, TH, RFz	32x3,00-28 Cu	10	50

⁽²⁾ Copper connection by pressing tools, not suitable for welding

Press-end-plug

	Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
	1355.16	U, H, TH, RFz	16x2,00	10	200
	1355.20	U, H, TH, RFz	20x2,25	10	200
	1355.201	U, H, TH, RFz	20x2,00	10	200

We offer a wide range of OEM press fittings manufactured in brass color.

Our fittings high quality is based on:

- Patented design brass fitting, with EPDM O-rings and inox sleeves
- Manufactured under the technical standards DIN 50930-6 and UNE EN ISO 21003-3
- Compatible with multilayer pipes
- Compatible with several jaw profiles
 - Serie 7 (DN40, DN50, DN63 mm) - TH, U
 - Serie 2 (DN63, DN75 mm) - U
- Lead free brass available on request
- Fittings starting by article code 2, with not fixed sleeve

Press-connection male



Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
711.40112F	TH, U	40x4,00-11/2"M	1	18
711.40114F	TH, U	40x4,00-11/4"M	1	18
711.50112F	TH, U	50x4,50-11/2"M	1	12
711.50200F	TH, U	50x4,50-2"M	1	12
711.63200F	TH, U	63x6,00-2"M	1	8
211.75212F	U	75x7,50-21/2"M	1	2

Press-connection female



Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
710.40112F	TH, U	40x4,00-11/2"F	1	18
710.40114F	TH, U	40x4,00-11/4"F	1	18
710.50112F	TH, U	50x4,50-11/2"F	1	12
210.63200F	U	63x6,00-2"F	1	8
210.75212F	U	75x7,50-21/2"F	1	2

Press-screw connection female⁽¹⁾



Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
714.40112F	TH, U	40x4,00-11/2"F	1	18
714.50200F	TH, U	50x4,50-2"F	1	10

⁽¹⁾Nut designed according to UNE EN ISO 228

Press-coupling



Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
733.4040F	TH, U	40x4,00	1	18
733.5050F	TH, U	50x4,50	1	12
733.6363F	TH, U	63x6,00	1	8
233.7575F	U	75x7,50	1	2

Press-coupling reduced




Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
733.4025F	TH, U	40x4,00-25x2,50	1	20
733.4026F	TH, U	40x4,00-26x3,00	1	20
733.4032F	TH, U	40x4,00-32x3,00	1	18
733.5032F	TH, U	50x4,50-32x3,00	1	12
733.5040F	TH, U	50x4,50-40x4,00	1	12
733.6340F	TH, U	63x6,00-40x4,00	1	10
733.6350F	TH, U	63x6,00-50x4,50	1	8
233.7540F	U	75x7,50-40x4,00	1	2
233.7550F	U	75x7,50-50x4,50	1	2
233.7563F	U	75x7,50-63x6,00	1	2

Press-elbow 90°




Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
703.4040F	TH, U	40x4,00	1	10
703.5050F	TH, U	50x4,50	1	8
703.6363F	TH, U	63x6,00	1	4
203.7575F	U	75x7,50	1	2

Press-elbow 45°




Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
704.4040F	TH, U	40x4,00	1	10
704.5050F	TH, U	50x4,50	1	8
204.6363F	U	63x6,00	1	4

Press-T




Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
723.404040F	TH, U	40x4,00	1	8
723.505050F	TH, U	50x4,50	1	6
723.636363F	TH, U	63x6,00	1	2
223.757575F	U	75x7,50	1	2

Press-T reduced



Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
723.402040F	TH, U	40x4,00-20x2,25-40x4,00	1	8
723.4020401F	TH, U	40x4,00-20x2,00-40x4,00	1	8
723.402540F	TH, U	40x4,00-25x2,50-40x4,00	1	8
723.402640F	TH, U	40x4,00-26x3,00-40x4,00	1	8
723.403232F	TH, U	40x4,00-32x3,00-32x3,00	1	8
723.403240F	TH, U	40x4,00-32x3,00-40x4,00	1	8
723.502550F	TH, U	50x4,50-25x2,50-50x4,50	1	6
723.502650F	TH, U	50x4,50-26x3,00-50x4,50	1	6
723.503250F	TH, U	50x4,50-32x3,00-50x4,50	1	6
723.504050F	TH, U	50x4,50-40x4,00-50x4,50	1	6
723.632563F	TH, U	63x6,00-25x2,50-63x6,00	1	2
723.632663F	TH, U	63x6,00-26x3,00-63x6,00	1	2
723.633263F	TH, U	63x6,00-32x3,00-63x6,00	1	2
723.634063F	TH, U	63x6,00-40x4,00-63x6,00	1	2
723.635063F	TH, U	63x6,00-50x4,50-63x6,00	1	2
223.754075F	U	75x7,50-40x4,00-75x7,50	1	2
223.755075F	U	75x7,50-50x4,50-75x7,50	1	2

Press-T female




Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
720.4010040F	TH, U	40x4,00-1"F-40x4,00	1	8
720.5010050F	TH, U	50x4,50-1"F-50x4,50	1	6
220.6310063F	U	63x6,00-1"F-63x6,00	1	2
220.7510075F	U	75x7,50-1"F-75x7,50	1	2

AIS INOX M1 press fittings are suitable to connect multilayer pipes PERT-Al-PERT for cold and hot water and heating applications.

These big dimension fittings are suitable for large buildings such as Hospitals, Industries, Commercial big surfaces...

Our fittings high quality is based on:


- Modular system: you can make different connections with a few range of fittings.
- Stainless steel: all parts are produced by certified stainless steel AISI 316 and AISI 316L.
- Dimensions: we cover big dimensions up to 110.
- Suitable for drinking water
- **Easy assembly:** our new design of the profile allows you to introduce the pipe into the fitting easily without extra-efforts.


Press-adapter		NEW			
	Art. N°	Jaw Profile	Dimension	Units per small box	Units per box
	831.8063	U	63x6,00	1	4
	831.8075	U	75x7,50	1	6
	831.8090	U	90x8,50	1	6
	831.80110	U	110x10,00	1	6

Base body elbow 90°					
	Art. N°	Dimension	Units per small box	Units per box	
	803.8080	DN80-DN80	1	2	

Base body elbow 45°					
	Art. N°	Dimension	Units per small box	Units per box	
	804.8080	DN80-DN80	1	2	

Base body tee-piece					
	Art. N°	Dimension	Units per small box	Units per box	
	823.808080	DN80-DN80-DN80	1	1	

Connection male					
	Art. N°	Dimension	Units per small box	Units per box	
	811.80212	DN80 - 2 1/2"M	1	6	
	811.80300	DN80 - 3"M	1	6	

Connection female		NEW			
	Art. N°	Dimension	Units per small box	Units per box	
	810.80114	DN80 - 1 1/4"F	1	6	
	810.80112	DN80 - 1 1/2"F	1	6	
	810.80200	DN80 - 2"F	1	6	
	810.80212	DN80 - 2 1/2"F	1	6	
	810.80300	DN80 - 3"F	1	6	

End plug					
	Art. N°	Dimension	Units per small box	Units per box	
	855.80	DN80	1	16	

End plug female					
	Art. N°	Dimension	Units per small box	Units per box	
	855.8034	DN80 - 3/4"F	1	16	

Clamp					
	Art. N°	Dimension	Units per small box	Units per box	
	878.8080	DN80	1	10	


Gasket					
	Art. N°	Dimension	Units per bag	Units per box	
	583.80	DN80	5	200	

We offer the most competitive brass color range of fittings for plumbing and heating installations.


Our fittings high quality is based on:

- Brass color fitting with an EPDM O-ring and inox sleeves
- Specially for dimensions of multilayer pipes 20x2,00 mm and 25x2,50 mm.
- The most common items for a complete sanitary and heating installations are available in this range
- Compatible with multilayer pipes
- Fittings compatible with jaw profile U

Press-connection male

	Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
	1811.1612	U	16x2,00-1/2"M	10	200
	1811.20121	U	20x2,00-1/2"M	10	200
	1811.20341	U	20x2,00-3/4"M	10	170
	1811.25100	U	25x2,50-1"M	10	100
	1811.2534	U	25x2,50-3/4"M	10	100
	1811.32100	U	32x3,00-1"M	10	80


Press-connection female

	Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
	1810.1612	U	16x2,00-1/2"F	10	200
	1810.20121	U	20x2,00-1/2"F	10	200
	1810.20341	U	20x2,00-3/4"F	10	180
	1810.25100	U	25x2,50-1"F	10	100
	1810.2534	U	25x2,50-3/4"F	10	100
	1810.32100	U	32x3,00-1"F	10	80

Press-screw connection female⁽¹⁾




NEW DESIGN


	Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
	1814.1612	U	16x2,00-1/2"F	10	200 NEW DESIGN
	1814.1634	U	16x2,00-3/4"F	10	200 NEW DESIGN
	1814.20121	U	20x2,00-1/2"F	10	200 NEW DESIGN
	1814.20341	U	20x2,00-3/4"F	10	200 NEW DESIGN
	1814.2534	U	25x2,50-3/4"F	10	100 NEW DESIGN
	1814.32100	U	32x3,00-1"F	10	80 NEW DESIGN

⁽¹⁾Nut designed according to UNE EN ISO-228


Press-coupling

	Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
	1833.1616	U	16x2,00	10	200
	1833.20201	U	20x2,00	10	160
	1833.2525	U	25x2,50	10	100
	1833.3232	U	32x3,00	10	60


Press-coupling reduced

	Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
	1833.20161	U	20x2,00-16x2,00	10	180
	1833.25201	U	25x2,50-20x2,00	10	120
	1833.3225	U	32x3,00-25x2,50	10	80


Press-elbow 90°

	Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
	1803.1616	U	16x2,00	10	200
	1803.20201	U	20x2,00	10	150
	1803.2525	U	25x2,50	10	80
	1803.3232	U	32x3,00	4	44


Press-elbow female 90°

	Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
	1800.1612	U	16x2,00-1/2"F	10	180
	1800.20121	U	20x2,00-1/2"F	10	160
	1800.20341	U	20x2,00-3/4"F	10	100
	1800.2534	U	25x2,50-3/4"F	10	100
	1800.32100	U	32x3,00-1"F	6	54


Press-wallplate elbow female 90°- 38 mm height

	Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
	1806.1612	U	16x2,00-1/2"F	10	100
	1806.20121	U	20x2,00-1/2"F	10	100


Press-T

	Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
	1823.161616	U	16x2,00	10	150
	1823.2020201	U	20x2,00	10	100
	1823.252525	U	25x2,50	4	40
	1823.323232	U	32x3,00	4	32

Press-T reduced

	Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
	1823.2016161	U	20x2,00-16x2,00-16x2,00	10	100
	1823.2016201	U	20x2,00-16x2,00-20x2,00	10	100
	1823.2020161	U	20x2,00-20x2,00-16x2,00	10	100
	1823.251616	U	25x2,50-16x2,00-16x2,00	4	60
	1823.251625	U	25x2,50-16x2,00-25x2,50	4	60
	1823.2520201	U	25x2,50-20x2,00-20x2,00	4	60
	1823.2520251	U	25x2,50-20x2,00-25x2,50	4	48
	1823.2525201	U	25x2,50-25x2,50-20x2,00	4	48
	1823.322525	U	32x3,00-25x2,50-25x2,50	4	40
	1823.322532	U	32x3,00-25x2,50-32x3,00	4	32

Press-T female

	Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
	1820.161216	U	16x2,00-1/2"F-16x2,00	10	100
	1820.2012201	U	20x2,00-1/2"F-20x2,00	10	100
	1820.251225	U	25x2,50-1/2"F-25x2,50	4	48
	1820.253425	U	25x2,50-3/4"F-25x2,50	4	44
	1820.323432	U	32x3,00-3/4"F-32x3,00	4	40

We offer the fastest and easiest connection for PEX pipes.

According the international trends, press fitting is the most successfully connection for PEX pipes, finally you don't have to wait to make the pressure test.

Also you can use your standard battery tools or your manual tools.

Our fittings high quality is based on:

- Fittings compatible with PEX pipes without O- Rings
- This completely range of fittings is designed in order to offer the most competitive solution for plumbing installations
- Fittings compatible with jaw profiles U and RFz
- Manufactured under the technical standard UNE EN ISO 15875-3

Press-connection male

Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
1411.1612	U, RFz	16x1,80-1/2"M	10	200
1411.2012	U, RFz	20x1,90-1/2"M	10	200
1411.2034	U, RFz	20x1,90-3/4"M	10	200
1411.25100	U, RFz	25x2,30-1"M	10	100
1411.2534	U, RFz	25x2,30-3/4"M	10	100
1411.32100	U, RFz	32x2,90-1"M	10	80

Press-connection female

Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
1410.1612	U, RFz	16x1,80-1/2"F	10	200
1410.2012	U, RFz	20x1,90-1/2"F	10	200
1410.2034	U, RFz	20x1,90-3/4"F	10	180
1410.25100	U, RFz	25x2,30-1"F	10	100
1410.2534	U, RFz	25x2,30-3/4"F	10	100
1410.32100	U, RFz	32x2,90-1"F	10	80

Press-screw connection female⁽¹⁾



NEW DESIGN

Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
1414.1612	U, RFz	16x1,80-1/2"F	10	200
1414.1634	U, RFz	16x1,80-3/4"F	10	200
1414.2012	U, RFz	20x1,90-1/2"F	10	200
1414.2034	U, RFz	20x1,90-3/4"F	10	200
1414.2534	U, RFz	25x2,30-3/4"F	10	100
1414.32100	U, RFz	32x2,90-1"F	10	80

⁽¹⁾Nut designed according to UNE EN ISO 228

Press-screw connection elbow female 90°⁽¹⁾

Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
1407.2534	U, RFz	25x2,30-3/4"F	10	100

⁽¹⁾Nut designed according to UNE EN ISO 228

Press-coupling

Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
1433.1616	U, RFz	16x1,80	10	200
1433.2020	U, RFz	20x1,90	10	160
1433.2525	U, RFz	25x2,30	10	100
1433.3232	U, RFz	32x2,90	10	60

Press coupling reduced

Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
1433.2016	U, RFz	20x1,90-16x1,80	10	180
1433.2520	U, RFz	25x2,30-20x1,90	10	120
1433.3225	U, RFz	32x2,90-25x2,30	10	80

Press-elbow 90°

Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
1403.1616	U, RFz	16x1,80	10	200
1403.2020	U, RFz	20x1,90	10	150
1403.2525	U, RFz	25x2,30	10	80
1403.3232	U, RFz	32x2,90	4	44

Press-elbow female 90°



Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
1400.1612	U, RFz	16x1,80-1/2"F	10	180
1400.2012	U, RFz	20x1,90-1/2"F	10	160
1400.2034	U, RFz	20x1,90-3/4"F	10	100
1400.2534	U, RFz	25x2,30-3/4"F	10	100
1400.32100	U, RFz	32x2,90-1"F	6	54

Press-elbow male 90°



Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
1401.1612	U, RFz	16x1,80-1/2"M	10	200
1401.2012	U, RFz	20x1,90-1/2"M	10	160
1401.2534	U, RFz	25x2,30-3/4"M	10	90

Press-wallplate elbow female 90° - 46 mm height



Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
1402.1612	U, RFz	16x1,80-1/2"F	10	100
1402.2012	U, RFz	20x1,90-1/2"F	10	100
1402.2534*	U, RFz	25x2,30-3/4"F	6	54

Press-wallplate elbow female 90° - 38 mm height



1406.1612	U, RFz	16x1,80-1/2"F	10	100
1406.2012	U, RFz	20x1,90-1/2"F	10	100

*56 mm height

Press-T



Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
1423.161616	U, RFz	16x1,80	10	150
1423.202020	U, RFz	20x1,90	10	100
1423.252525	U, RFz	25x2,30	4	40
1423.323232	U, RFz	32x2,90	4	32

Press-T reduced



Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
1423.162016	U, RFz	16x1,80-20x1,90-16x1,80	10	140
1423.201616	U, RFz	20x1,90-16x1,80-16x1,80	10	100
1423.201620	U, RFz	20x1,90-16x1,80-20x1,90	10	100
1423.202016	U, RFz	20x1,90-20x1,90-16x1,80	10	100
1423.251616	U, RFz	25x2,30-16x1,80-16x1,80	4	68
1423.251625	U, RFz	25x2,30-16x1,80-25x2,30	4	60
1423.252020	U, RFz	25x2,30-20x1,90-20x1,90	4	60
1423.252025	U, RFz	25x2,30-20x1,90-25x2,30	4	60
1423.252520	U, RFz	25x2,30-25x2,30-20x1,90	4	60
1423.322032	U, RFz	32x2,90-20x1,90-32x2,90	4	40
1423.322532	U, RFz	32x2,90-25x2,30-32x2,90	4	32

Press-T female



Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
1420.161216	U, RFz	16x1,80-1/2"F-16x1,80	10	100
1420.201220	U, RFz	20x1,90-1/2"F-20x1,90	10	100
1420.251225	U, RFz	25x2,30-1/2"F-25x2,30	4	48
1420.253425	U, RFz	25x2,30-3/4"F-25x2,30	4	44

Press-embedded valve Pack with concealed handle




Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
1477.01616P	U, RFz	16x1,80	1	16
1477.02020P	U, RFz	20x1,90	1	16
1477.02525P	U, RFz	25x2,30	1	12

Press-embedded valve Pack with handle



1477.11616P	U, RFz	16x1,80	1	16
1477.12020P	U, RFz	20x1,90	1	16
1477.12525P	U, RFz	25x2,30	1	12


Press-embedded U-valve Pack with concealed handle

	Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
	1479.02020P	U, RFz	20x1,90	1	16
	1479.02525P	U, RFz	25x2,30	1	12


Press-embedded U-valve Pack with handle

	Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
	1479.12020P	U, RFz	20x1,90	1	16
	1479.12525P	U, RFz	25x2,30	1	12


Press-embedded valve

	Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
	1477.1616	U, RFz	16x1,80	1	16
	1477.2020	U, RFz	20x1,90	1	16
	1477.2525	U, RFz	25x2,30	1	12


Press-embedded U-valve

	Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
	1479.2020	U, RFz	20x1,90	1	16
	1479.2525	U, RFz	25x2,30	1	12


Press-lever ball valve

	Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
	1471.2020	U, RFz	20x1,90	1	40
	1471.2525	U, RFz	25x2,30	1	32
	1471.3232	U, RFz	32x2,90	1	32

Press-cross

	Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
	1482.202162	U, RFz	20x1,90-20x1,90-16x1,80-16x1,80	8	64
	1482.2520162	U, RFz	25x2,30-20x1,90-16x1,80-16x1,80	8	64
	1482.25203	U, RFz	25x2,30-20x1,90-20x1,90-20x1,90	8	64


Press-distributor

	Art. N°	Jaw Profile	Dimension	Units per bag	Units per box
	1483.202163	U, RFz	20x1,90-20x1,90-16x1,80-16x1,80-16x1,80	4	40
	1483.2520163	U, RFz	25x2,30-20x1,90-16x1,80-16x1,80-16x1,80	4	40

Flat fixing plate

	Art. N°	Dimension	Units per bag	Units per box
	244.101	250mm x 61mm	1	50


Dry Wall fixing plate 150mm/75mm

	244.102	346mm x 60mm	1	30
-----------------------------------------------------------------------------------	---------	--------------	---	----


Press-end-plug removable BC*



NEW


	Art. N°	Dimension	Units per bag	Units per box
	360.102012	16x2,00	10	200
	360.101612	20x2,25	10	200

Replacement o-ring for test plug


	283.16	16x2,00-9x1,6mm	10	200
	283.20	20x2,25-12x1,6mm	10	200

*It's recommended to change the o-ring after each pressure test


Extension for embedded valve

	Art. N°	Units per bag	Units per box
	279.2000	1	60

Handle for embedded valve

	Art. N°	Units per bag	Units per box
	277.1000	1	30

Concealed handle for embedded valve

	Art. N°	Units per bag	Units per box
	279.0000	1	30

NOTES



ADVANCED
INSTALLATION
SOLUTIONS



GERMAN OFFICE

MULTICAPAS INDUSTRIAL GmbH

Address: Handwerkerweg 28
63776 Mömbris
Germany

Phone: + 49 6029 993039-0

E-mail: info@ais-concept.com

Web: www.ais-concept.com

SPANISH OFFICE

MULTICAPAS INDUSTRIAL S.L.

Address: Pol. Ind. Monte Boyal
Travesía del Encinar 3, 4 y 5
E-45950 Casarrubios del Monte
Toledo (Spain)

Phone: + 34 918 171 884

E-mail: info@ais-concept.com

Web: www.ais-concept.com

