



SECT	ION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier: HOME COLLECTION FRAGRANCE
	ROSSO NOBILE
	30-SF000455 (Version 1)
1.2	Relevant identified uses of the substance or mixture and uses advised against:
	Relevant uses: Fragrance
	Uses advised against: All uses not specified in this section or in section 7.3
1.3	Details of the supplier of the safety data sheet:
	Dr. Vranjes Firenze SPA
	Via Sandro Pertini 5 50012 Bagno a Ripoli (FI) - Tuscany - Italy
	Phone.: +390556120735 - Fax: +39055621346
	regulatory@drvranjes.it https://drvranjes.it
1.4	Emergency telephone number: National Poisons Information Service (Birmingham Unit),ZIP/Postcode: B187QH, United
	Kingdon, Emergency number: 844 892 0111, (H24).
	Regional Medicines and Poisons Information Centre NI (Belfast), ZIP/Postcode: BT12 6BA, United Kingdon, Emergency number: 844 892 0111, (H24).
SECT	ION 2: HAZARDS IDENTIFICATION
2.1	Classification of the substance or mixture:
	CLP Regulation (EC) No 1272/2008:
	Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.
	Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412 Eye Irrit. 2: Eye irritation, Category 2, H319
	Flam Lig 2: Flammable liquids Category 2, H225
2.2	Label elements: ДЛЯ ДОМа И ИНТерьера —
	CLP Regulation (EC) No 1272/2008:
	Danger
	Hazard statements: DOMATITALV DI
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects
	Eye Irrit. 2: H319 - Causes serious eye irritation Flam. Liq. 2: H225 - Highly flammable liquid and vapour
	Flam. Liq. 2: H225 - Highly flammable liquid and vapour 01-03-16
	P101: If medical advice is needed, have product container or label at hand
	P102: Keep out of reach of children
	P210: Keep away from heat/sparks/open flames/hot surfaces. — No smoking P280: Wear eye protection/face protection
	P370+P378: In case of fire: Use ABC powder extinguisher to extinguish
	P501: Dispose of contents/container according to the separated collection system used in your municipality
	Supplementary information: EUH208: Contains (E)-1-(2,6,6-trimethyl-1-cyclohexen-1-yl)-2-buten-1-one, CITRUS AURANTIUM DULCIS, Linalool. May produce
	an allergic reaction
2.3	Other hazards:
	Product fails to meet PBT/vPvB criteria
SECT	ION 3: COMPOSITION/INFORMATION ON INGREDIENTS

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Non-applicable

3.2 Mixture:

Chemical description: Odoriferous mixture based on natural and/or synthetic ingredients

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentration
CAS:	64-17-5	Ethanol 🗆 1	Self-classified	
EC: Index: REACH:	200-578-6 603-002-00-5 01-2119457610-43- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Flam. Liq. 2: H225 - Danger	50 - <75 %
CAS:	128-37-0	2,6-di-tert-butyl-p-c	resol 📭 Self-classified	
EC: Index: REACH:	204-881-4 Non-applicable 01-2119565113-46- XXXX	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning	<1 %
CAS:	78-70-6	Linalool	Self-classified	
EC: Index: REACH:	201-134-4 603-235-00-2 01-2119474016-42- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	<1 %
CAS:	8028-48-6	CITRUS AURANTIUM	DULCIS 1 1 V Self-classified	
EC: Index: REACH:	232-433-8 Non-applicable 01-2119493353-35- XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411; Asp. Tox. 1: H304; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger	<1 %
CAS: EC: Index: REACH:	23726-91-2 245-842-1 Non-applicable 01-2120094433-55- XXXX		VI-1-cyclohexen-1-yl)-2-buten-1-one 1 Self-classified Aquatic Chronic 2: H411; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning Image: Chronic 2: H411; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	<1 %

□¹□ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

To obtain more information on the hazards of the substances consult sections 11, 12 and 16. Other information:

Identification	Specific concentration limit
Ethanol	
CAS: 64-17-5 EC: 200-578-6	% (w/w) >=50: Eye Irrit. 2 - H319

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:



SECTION 4: FIRST AID MEASURES (continued)

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO \Box). IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Destroy any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions





SECTION 7: HANDLING AND STORAGE (continued)

Transfer in well ventilated areas, preferably through localized extraction. Fully control sources of ignition (mobile phones, sparks,...) and ventilate during cleaning operations. Avoid the existence of dangerous atmospheres inside containers, applying inertization systems where possible. Transfer at a slow speed to avoid the creation of electrostatic charges. Against the possibility of electrostatic charges: ensure a perfect equipotential connection, always use groundings, do not wear work clothes made of acrylic fibres, preferably wearing cotton clothing and conductive footwear. Comply with the essential security requirements for equipment and systems defined in Directive 94/9/EC (ATEX 100) and with the minimum requirements for protecting the security and health of workers under the selection criteria of Directive 1999/92/EC (ATEX 137 / The Dangerous Substances and Explosive Atmospheres Regulations 2002, 2002 No. 2776). Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °C

Maximum Temp.: 30 °C

Maximum time: 36 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL/PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (EH40/2005 Workplace exposure limits):

Identification	Er	vironmental limits	
2,6-di-tert-butyl-p-cresol	WEL (8h)		10 mg/m ³
CAS: 128-37-0 EC: 204-881-4	WEL (15 min)		
	WEL (8h)	1000 ppm	1920 mg/m ³
CAS: 64-17-5 EC: 200-578-6	WEL (15 min)		
Propane-1,2-diol (Vp > 0.01 kPa 20 °C)	WEL (8h)	150 ppm	474 mg/m ³
CAS: 57-55-6 EC: 200-338-0 / O O O O	WEL (15 min)		
DNEL (Workers): O OUU U-U	0-10		

	Short	exposure	Long	exposure	
Identification		Systemic	Local	Systemic	Local
Ethanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 64-17-5	Dermal	Non-applicable	Non-applicable	343 mg/kg	Non-applicable
EC: 200-578-6	Inhalation	Non-applicable	1900 mg/m ³	950 mg/m ³	Non-applicable
2,6-di-tert-butyl-p-cresol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 128-37-0	Dermal	Non-applicable	Non-applicable	0.5 mg/kg	Non-applicable
EC: 204-881-4	Inhalation	Non-applicable	Non-applicable	3.5 mg/m ³	Non-applicable
Linalool	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 78-70-6	Dermal	5 mg/kg	Non-applicable	2.5 mg/kg	Non-applicable
EC: 201-134-4	Inhalation	16.5 mg/m ³	Non-applicable	2.8 mg/m ³	Non-applicable
CITRUS AURANTIUM DULCIS	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 8028-48-6	Dermal	Non-applicable	Non-applicable	8.89 mg/kg	Non-applicable
EC: 232-433-8	Inhalation	Non-applicable	Non-applicable	31.1 mg/m ³	Non-applicable

DNEL (General population):





SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	Short exposure		exposure
Identification		Systemic	Local	Systemic	Local
Ethanol	Oral	Non-applicable	Non-applicable	87 mg/kg	Non-applicable
CAS: 64-17-5	Dermal	Non-applicable	Non-applicable	206 mg/kg	Non-applicable
EC: 200-578-6	Inhalation	Non-applicable	950 mg/m ³	114 mg/m ³	Non-applicable
2,6-di-tert-butyl-p-cresol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 128-37-0	Dermal	Non-applicable	Non-applicable	0.25 mg/kg	Non-applicable
EC: 204-881-4	Inhalation	Non-applicable	Non-applicable	0.86 mg/m ³	Non-applicable
Linalool	Oral	1.2 mg/kg	Non-applicable	0.2 mg/kg	Non-applicable
CAS: 78-70-6	Dermal	2.5 mg/kg	Non-applicable	1.25 mg/kg	Non-applicable
EC: 201-134-4	Inhalation	4.1 mg/m ³	Non-applicable	0.7 mg/m ³	Non-applicable
CITRUS AURANTIUM DULCIS	Oral 🔨	Non-applicable	Non-applicable	4.44 mg/kg	Non-applicable
CAS: 8028-48-6	Dermal /	Non-applicable	Non-applicable	4.44 mg/kg	Non-applicable
EC: 232-433-8	Inhalation	Non-applicable	Non-applicable	7.78 mg/m ³	Non-applicable

Identification	1017	()		
Ethanol	STP , , , , , , , , , , , , , , , , , , ,	580 mg/L	Fresh water	0.96 mg/L
CAS: 64-17-5	Soil	Non-applicable	Marine water	0.79 mg/L
EC: 200-578-6	Intermittent Y	2.75 mg/L	Sediment (Fresh water)	3.6 mg/kg
	Oral	720 g/kg	Sediment (Marine water)	Non-applicable
2,6-di-tert-butyl-p-cresol	STP	0.17 mg/L	Fresh water	0.000199 mg/L
CAS: 128-37-0	Soil	0.04769 mg/kg	Marine water	0.0000199 mg/L
EC: 204-881-4	Intermittent	0.00199 mg/L	Sediment (Fresh water)	0.0996 mg/kg
	Oral	8.33 g/kg	Sediment (Marine water)	0.00996 mg/kg
Linalool	STP	10 mg/L	Fresh water	0.2 mg/L
CAS: 78-70-6	Soil	0.327 mg/kg	Marine water	0.02 mg/L
САS: 78-70-6 EC: 201-134-4 ДЛЯ ДОМ	Intermittent	2 mg/L L I U	Sediment (Fresh water)	2.22 mg/kg
	Oral	7.8 g/kg	Sediment (Marine water)	0.222 mg/kg
CITRUS AURANTIUM DULCIS	STP	2.1 mg/L	Fresh water	0.0054 mg/L
CAS: 8028-48-6	Soil	0.261 mg/kg	Marine water	0.00054 mg/L
EC: 232-433-8	Intermittent	0.00577 mg/L	Sediment (Fresh water)	1.3 mg/kg
	Oral	13.3 g/kg	Sediment (Marine water)	0.13 mg/kg

8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420 and EN 374.

"As the product is a mixture of several substances, the resistance of the glove material can not be predicted in advance with total reliability and has therefore to be checked prior to the application"

D.- Ocular and facial protection





	Pictogram	PPE	Labelling	CEN Standard	Remarks
	Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2001 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.
Ε.	- Body protection				
	Pictogram	PPE	Labelling	CEN Standard	Remarks
		Work clothing	CATI	\	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulation in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
F		Anti-slip work shoes	CAT	EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007
F.	- Additional emerge		- 6	₹,	
	Emergency mea	asure S	tandards 🧲	Emergency measure	ure Standards
-	Emergency sho		011, ISO 3864-4:20	Eyewash station	ISO 3864-1:2011, ISO 3864-4:2011
In sp Vo	oillage of both the p olatile organic co	ne community legislation roduct and its container. mpounds:	For additional i	on of the environment it i nformation see subsection	is recommended to avoid environmental
In sp Vo	accordance with th illage of both the p olatile organic co 'ith regard to Direct	ne community legislation roduct and its container. mpounds: ive 2010/75/EU, this pro	For additional i	on of the environment it i nformation see subsection	is recommended to avoid environmental
In sp Vo	accordance with the billage of both the p platile organic co (ith regard to Direct V.O.C. (Supply):	ne community legislation roduct and its container. mpounds: ive 2010/75/EU, this pro 87.9	For additional i duct has the fol 1 % weight	on of the environment it i nformation see subsection lowing characteristics:	is recommended to avoid environmental
In sp Vo	accordance with the pillage of both the p platile organic co (ith regard to Direct V.O.C. (Supply): V.O.C. density at	ne community legislation roduct and its container. mpounds: ive 2010/75/EU, this pro 87.9 20 °C: 744.	For additional i duct has the fol 1 % weight 61 kg/m ³ (744.	on of the environment it i nformation see subsection lowing characteristics:	is recommended to avoid environmental
In sp Vo	accordance with the billage of both the p platile organic co lith regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n	ne community legislation roduct and its container. mpounds: ive 2010/75/EU, this pro 87.9 20 °C: 744. number: 2.29	For additional i duct has the fol 1 % weight 61 kg/m ³ (744.	on of the environment it i nformation see subsection lowing characteristics:	is recommended to avoid environmental
In sp Vo	accordance with the pillage of both the p platile organic co (ith regard to Direct V.O.C. (Supply): V.O.C. density at	ne community legislation roduct and its container. mpounds: ive 2010/75/EU, this pro 87.9 20 °C: 744. number: 2.29	For additional i duct has the fol 1 % weight 61 kg/m ³ (744.	on of the environment it i nformation see subsection lowing characteristics:	is recommended to avoid environmental
In sp Va	a accordance with the billage of both the p platile organic co lith regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula	ne community legislation roduct and its container. mpounds: ive 2010/75/EU, this pro 87.9 20 °C: 744. number: 2.29 ar weight: 53.2	For additional i duct has the fol 1 % weight 61 kg/m ³ (744. 7 g/mol	on of the environment it i nformation see subsection lowing characteristics:	is recommended to avoid environmental
In sp Va	a accordance with the billage of both the p platile organic co lith regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula	ne community legislation roduct and its container. mpounds: ive 2010/75/EU, this pro 87.9 20 °C: 744. number: 2.29	For additional i duct has the fol 1 % weight 61 kg/m ³ (744. 7 g/mol	on of the environment it i nformation see subsection lowing characteristics:	is recommended to avoid environmental
In sp Vc W	a accordance with the billage of both the p platile organic co lith regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula N 9: PHYSICAL A	ne community legislation roduct and its container. mpounds: ive 2010/75/EU, this pro 87.9 20 °C: 744. number: 2.29 ar weight: 53.2	For additional i duct has the fol 1 % weight 61 kg/m ³ (744. 7 g/mol PERTIES	on of the environment it i nformation see subsection lowing characteristics: .61 g/L)	is recommended to avoid environmental
In sp Ve W :CTIO L In Fo	accordance with the polatile organic co lith regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula N 9: PHYSICAL A formation on base or complete informa	ne community legislation roduct and its container. mpounds: ive 2010/75/EU, this pro 87.9 20 °C: 744. number: 2.29 ar weight: 53.2 AND CHEMICAL PRO	For additional i duct has the fol 1 % weight 61 kg/m ³ (744. 7 g/mol PERTIES	on of the environment it i nformation see subsection lowing characteristics: .61 g/L)	is recommended to avoid environmental
In sp Va W :CTIO 1 In Fc Al	a accordance with the polatile organic con- lith regard to Directi V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula N 9: PHYSICAL A nformation on base or complete informa ppearance:	ne community legislation roduct and its container. mpounds: ive 2010/75/EU, this pro 87.9 20 °C: 744. iumber: 2.29 in weight: 53.2 AND CHEMICAL PRO sic physical and chem ition see the product dat	For additional i duct has the fol 1 % weight 61 kg/m ³ (744. 7 g/mol PERTIES ical properties asheet.	on of the environment it information see subsection lowing characteristics: .61 g/L)	is recommended to avoid environmental
In sp Va W :CTIO 1 In Fc Al	accordance with the polatile organic co lith regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula N 9: PHYSICAL A formation on base or complete informa	ne community legislation roduct and its container. mpounds: ive 2010/75/EU, this pro 87.9 20 °C: 744. iumber: 2.29 in weight: 53.2 AND CHEMICAL PRO sic physical and chem ition see the product dat	For additional i duct has the fol 1 % weight 61 kg/m ³ (744. 7 g/mol PERTIES ical properties asheet. Liqui	on of the environment it information see subsection lowing characteristics: .61 g/L)	is recommended to avoid environmental
In sp Ve W	a accordance with the polatile organic co lith regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula N 9: PHYSICAL A formation on base or complete informa ppearance: hysical state at 20 ° opearance:	ne community legislation roduct and its container. mpounds: ive 2010/75/EU, this pro 87.9 20 °C: 744. iumber: 2.29 in weight: 53.2 AND CHEMICAL PRO sic physical and chem ition see the product dat	For additional i duct has the fol 1 % weight 61 kg/m ³ (744. 7 g/mol PERTIES ical properties asheet. Liqui	on of the environment it information see subsection lowing characteristics: .61 g/L)	is recommended to avoid environmental
In sp Va W W I I I Fc Ag Pr Ag Cc	a accordance with the polatile organic con- lith regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula N 9: PHYSICAL A nformation on base or complete informa ppearance: nysical state at 20 ° opearance: plour:	ne community legislation roduct and its container. mpounds: ive 2010/75/EU, this pro 87.9 20 °C: 744. iumber: 2.29 in weight: 53.2 AND CHEMICAL PRO sic physical and chem ition see the product dat	For additional i duct has the fol 1 % weight 61 kg/m ³ (744. 7 g/mol PERTIES ical properties asheet. Liqui Tran	on of the environment it information see subsection lowing characteristics: .61 g/L) 5:1-03-1 id isparent Maroon	is recommended to avoid environmental
In sp Va W CCTIO 1 In Fc A J Ph Ap Cc	a accordance with the polatile organic co lith regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula N 9: PHYSICAL A formation on base or complete informa ppearance: hysical state at 20 ° opearance:	ne community legislation roduct and its container. mpounds: ive 2010/75/EU, this pro 87.9 20 °C: 744. iumber: 2.29 in weight: 53.2 AND CHEMICAL PRO sic physical and chem ition see the product dat	For additional i duct has the fol 1 % weight 61 kg/m ³ (744. 7 g/mol PERTIES ical properties asheet. Liqui Tran Not a	on of the environment it i nformation see subsection lowing characteristics: .61 g/L) 	is recommended to avoid environmental
In sp Va W W I I I F C A P P P C C O O O O O O O O	a accordance with the p olatile organic co ith regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula N 9: PHYSICAL A formation on base or complete informa ppearance: hysical state at 20 ° opearance: blour: dour:	ne community legislation roduct and its container. mpounds: ive 2010/75/EU, this pro 87.9 20 °C: 744. iumber: 2.29 in weight: 53.2 AND CHEMICAL PRO sic physical and chem ition see the product dat	For additional i duct has the fol 1 % weight 61 kg/m ³ (744. 7 g/mol PERTIES ical properties asheet. Liqui Tran Not a	on of the environment it information see subsection lowing characteristics: .61 g/L) 5:1-03-1 id isparent Maroon	is recommended to avoid environmental
In sp Va W V I I I F C A P P P C C O O O O O O O	a accordance with the polatile organic co lith regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula N 9: PHYSICAL A nformation on bas precomplete informa ppearance: nysical state at 20 ° opearance: blour:	ne community legislation roduct and its container. mpounds: ive 2010/75/EU, this pro 87.9 20 °C: 744. iumber: 2.29 in weight: 53.2 AND CHEMICAL PRO sic physical and chem ition see the product dat	For additional i duct has the fol 1 % weight 61 kg/m ³ (744. 7 g/mol PERTIES ical properties asheet. Liqui Tran Not a	on of the environment it i nformation see subsection lowing characteristics: .61 g/L) 	is recommended to avoid environmental
In sp Va W I In Fo Ap Co Oa Va	a accordance with the p olatile organic co ith regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula N 9: PHYSICAL A formation on base or complete informa ppearance: hysical state at 20 ° opearance: blour: dour:	ne community legislation roduct and its container. mpounds: ive 2010/75/EU, this pro 87.9 20 °C: 744. number: 2.29 ir weight: 53.2 AND CHEMICAL PRO sic physical and chem tion see the product dat C:	For additional i duct has the fol 1 % weight 61 kg/m ³ (744. 7 g/mol PERTIES ical properties asheet. Liqui Tran Not a	on of the environment it information see subsection lowing characteristics: .61 g/L) 	is recommended to avoid environmental
In sp Va W I In Fc Ap Pr Ap Cc Oa Oa Bc	a accordance with the polatile organic con lith regard to Direct V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula N 9: PHYSICAL A nformation on base or complete informa ppearance: nysical state at 20 o opearance: olour: dour: dour threshold: olatility:	the community legislation roduct and its container. mpounds: ive 2010/75/EU, this pro- 87.9 20 °C: 744. number: 2.29 ar weight: 53.2 AND CHEMICAL PRO- sic physical and chem tion see the product dat C:	For additional i duct has the fol 1 % weight 61 kg/m ³ (744. 7 g/mol PERTIES ical properties asheet. Liqui Tran Not a Not	on of the environment it i nformation see subsection lowing characteristics: .61 g/L) 	is recommended to avoid environmental
In sp Va W V I I I F C C C C C C C C C C C C C C C C	a accordance with the polatile organic co- lith regard to Direct V.O.C. (Supply): V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula N 9: PHYSICAL A nformation on bas precomplete informa ppearance: nysical state at 20 ° opearance: olour: dour threshold: olatility: poling point at atmos	he community legislation roduct and its container. mpounds: ive 2010/75/EU, this pro- 87.9 20 °C: 744. number: 2.29 ar weight: 53.2 AND CHEMICAL PRO sic physical and chem tion see the product dat C:	For additional i duct has the fol 1 % weight 61 kg/m ³ (744. 7 g/mol PERTIES ical properties asheet. Liqui Tran Not Non- 90 ° 5685	on of the environment it i nformation see subsection lowing characteristics: .61 g/L) 	is recommended to avoid environmental
In sp Va W V I I I I Fa A P P A F C C C O Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q	a accordance with the p olatile organic coordinate	ne community legislation roduct and its container. mpounds: ive 2010/75/EU, this pro 87.9 20 °C: 744. number: 2.29 ir weight: 53.2 AND CHEMICAL PRO sic physical and chem ition see the product dat C: spheric pressure: 0 °C: 0 °C:	For additional i duct has the fol 1 % weight 61 kg/m ³ (744. 7 g/mol PERTIES ical properties asheet. Liqui Tran Not Non- 90 ° 5685	on of the environment it i nformation see subsection lowing characteristics: (61 g/L) (61 g/L) (61 g/L) (7) (61 g/L) (7) (61 g/L) (7) (61 g/L) (7) (61 g/L) (7) (7) (7) (7) (7) (7) (7) (7) (7) (7	is recommended to avoid environmental





ECTION 9: PHYSICAL AND CHEMICAL PROPER	TIES (continued)
Product description:	
Density at 20 °C:	847 kg/m³
Relative density at 20 °C:	0.847
Dynamic viscosity at 20 °C:	0 cP
Kinematic viscosity at 20 °C:	0 cSt
Kinematic viscosity at 40 °C:	Non-applicable *
Concentration:	Non-applicable *
pH:	Non-applicable *
Vapour density at 20 °C:	Non-applicable *
Partition coefficient n-octanol/water 20 °C:	Non-applicable *
Solubility in water at 20 °C:	Non-applicable *
Solubility properties:	Partially water-soluble
Decomposition temperature:	Non-applicable *
Melting point/freezing point:	Non-applicable *
Explosive properties:	Non-applicable *
Oxidising properties:	Non-applicable *
Flammability:	Y
Flash Point:	≥21 ℃
Flammability (solid, gas):	Non-applicable *
Autoignition temperature:	Non-applicable *
Lower flammability limit:	Not available
Upper flammability limit:	Not available
Explosive: ДЛЯ ДОМ	la и интерьера —
Lower explosive limit:	Non-applicable *
Upper explosive limit:	Non-applicable *
2 Other information:	
Surface tension at 20 °C:	Non-applicable *
Refraction index: *Not relevant due to the nature of the product, not providing	Non-applicable *

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
	Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable
10.5	Incompatible materials	:			

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases





SECTION 10: STABILITY AND REACTIVITY (continued)

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as dangerous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified
 - as dangerous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
 C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for skin contact. For more information see section 3.
- Contact with the eyes: Produces eye damage after contact.
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.
 - IARC: 2,6-di-tert-butyl-p-cresol (3); Benzyl acetate (3)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
 - Cutaneous: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:
 - Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as dangerous for this effect. For more information see section 3.

Other information:



SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Non-applicable

Specific toxicology information on the substances:

Identification		Acute toxicity		Genus
Ethanol		LD50 oral	6200 mg/kg	Rat
CAS: 64-17-5		LD50 dermal	20000 mg/kg	Rabbit
EC: 200-578-6		LC50 inhalation	124.7 mg/L (4 h)	Rat
2,6-di-tert-butyl-p-cresol		LD50 oral	10000 mg/kg	Rat
CAS: 128-37-0		LD50 dermal	Non-applicable	
EC: 204-881-4		LC50 inhalation	Non-applicable	
Linalool		LD50 oral	3000 mg/kg	Rat
CAS: 78-70-6	Λ	LD50 dermal	5610 mg/kg	Rabbit
EC: 201-134-4		LC50 inhalation	Non-applicable	
(E)-1-(2,6,6-trimethyl-1-cyclohexen-1-yl)-2-buten-1-one	()	LD50 oral	2920 mg/kg	
CAS: 23726-91-2	AL	LD50 dermal	Non-applicable	
EC: 245-842-1	$\left(\begin{array}{c} c \\ c \end{array} \right)$	LC50 inhalation	Non-applicable	

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

	-			
Identification		Acute toxicity	Species	Genus
Ethanol Contraction of the contr	LC50	11000 mg/L (96 h)	Alburnus alburnus	Fish
CAS: 64-17-5	EC50	9268 mg/L (48 h)	Daphnia magna	Crustacean
EC: 200-578-6	EC50	1450 mg/L (192 h)	Microcystis aeruginosa	Algae
2,6-di-tert-butyl-p-cresol	LC50	0.57 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 128-37-0	EC50	0.61 mg/L (48 h)	Daphnia magna	Crustacear
EC: 204-881-4	EC50	Non-applicable		
Linalool	LC50	27.8 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 78-70-6	EC50	59 mg/L (48 h)	Daphnia magna	Crustacear
EC: 201-134-4	EC50	88.3 mg/L (96 h)	Scenedesmus subspicatus	Algae
CITRUS AURANTIUM DULCIS	LC50	1 - 10 mg/L (96 h)		Fish
CAS: 8028-48-6 🔨 🦳 🦳 🦰	EC50	1 - 10 mg/L		Crustacear
EC: 232-433-8	EC50	1 - 10 mg/L		Algae
(E)-1-(2,6,6-trimethyl-1-cyclohexen-1-yl)-2-buten-1-one	LC50	Non-applicable	6	
CAS: 23726-91-2	EC50	9.5 mg/L (48 h) 🥌 🚃	🖰 Daphnia magna	Crustacear
EC: 245-842-1	EC50	8.8 mg/L (72 h)	N/A	Algae

12.2 Persistence and degradability:

Identification	Degradability		Biodegradability	
Ethanol	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 64-17-5	COD	Non-applicable	Period	14 days
EC: 200-578-6	BOD5/COD	0.57	% Biodegradable	89 %
2,6-di-tert-butyl-p-cresol	BOD5	Non-applicable	Concentration	50 mg/L
CAS: 128-37-0	COD	Non-applicable	Period	28 days
EC: 204-881-4	BOD5/COD	Non-applicable	% Biodegradable	4.5 %
Linalool	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 78-70-6	COD	Non-applicable	Period	28 days
EC: 201-134-4	BOD5/COD	0.55	% Biodegradable	90 %
(E)-1-(2,6,6-trimethyl-1-cyclohexen-1-yl)-2-buten-1-one	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 23726-91-2	COD	Non-applicable	Period	28 days
EC: 245-842-1	BOD5/COD	Non-applicable	% Biodegradable	0 %



SECTION 12: ECOLOGICAL INFORMATION (continued)



HOME COLLECTION FRAGRANCE ROSSO NOBILE 30-SF000455 (Version 1)

12.3 Bioaccumulative potential: Identification **Bioaccumulation potential** BCF Ethanol Pow Log -0.31 CAS: 64-17-5 Potential EC: 200-578-6 Low BCF 2,6-di-tert-butyl-p-cresol 1365 CAS: 128-37-0 Pow Log 5.1 EC: 204-881-4 Potential Very High BCF 39 I inalool CAS: 78-70-6 2.97 Pow Log EC: 201-134-4 Potential Moderate 12.4 Mobility in soil: Identification Absorption/desorption Volatility Henry 4.61E-1 Pa·m³/mol Ethanol Koc CAS: 64-17-5 Conclusion Very High Dry soil Yes EC: 200-578-6 Surface tension 2.339E-2 N/m (25 °C) Moist soil Yes 2,6-di-tert-butyl-p-cresol Кос 8183 Henry 3.42E-1 Pa·m³/mol CAS: 128-37-0 Conclusion Dry soil Yes 1.255E-2 N/m (258.85 EC: 204-881-4 Surface tension Moist soil Yes °C) 12.5 Results of PBT and vPvB assessment: Product fails to meet PBT/vPvB criteria 12.6 Other adverse effects: Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

_	Code	Description	Waste class (Regulation (EU) No 1357/2014)
		It is not possible to assign a specific code, as it depends on the intended use by the user	Dangerous

Type of waste (Regulation (EU) No 1357/2014): HP14 Ecotoxic, HP3 Flammable, HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC, The Waste Regulations 2011, 2011 No. 988). As under 15 01 (2014/955/EU) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2019 and RID 2019:






SECTION 14: TRANSPORT INFORMATION (continued) 14.1 UN number: UN1266 14.2 UN proper shipping name: PERFUMERY PRODUCTS with flammable solvents 14.3 Transport hazard class(es): 3 3 Labels: Π 14.4 Packing group: 14.5 Environmental hazards: No 14.6 Special precautions for user Special regulations: 163, 640D Tunnel restriction code: D/E Physico-Chemical properties: see section 9 Limited quantities: 5 L 14.7 Transport in bulk according Non-applicable to Annex II of Marpol and the IBC Code: Transport of dangerous goods by sea: With regard to IMDG 38-16: UN1266 14.1 UN number: 14.2 UN proper shipping name: PERFUMERY PRODUCTS with flammable solvents 14.3 Transport hazard class(es): 3 Labels: 3 14.4 Packing group: Π 14.5 Environmental hazards: No Special precautions for user 14.6 Special regulations: 163 EmS Codes: F-E, S-D Physico-Chemical properties: see section 9 Limited quantities: 5 L Segregation group: Non-applicable 14.7 Transport in bulk according Non-applicable to Annex II of Marpol and the IBC Code: Transport of dangerous goods by air: With regard to IATA/ICAO 2019: 14.1 UN number: **UN1266** 14.2 UN proper shipping name: PERFUMERY PRODUCTS with flammable solvents 14.3 Transport hazard class(es): 3 Labels: 3 14.4 Packing group: 14.5 Environmental hazards: No 14.6 Special precautions for user Physico-Chemical properties: see section 9 14.7 Transport in bulk according Non-applicable to Annex II of Marpol and the IBC Code:

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains Ethanol. Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable





SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830)

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable

Texts of the legislative phrases mentioned in section 2:

H412: Harmful to aquatic life with long lasting effects

H225: Highly flammable liquid and vapour


H319: Causes serious eye irritation

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:





AROMATITALY.RU 8 (800) 101-03-16

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.